


### LANE AND EDGE LINES




**NOTES**

The transverse spread of the "X" may vary according to lane width.

On multi-lane roads, the stop lines shall extend across all approach lanes and separate RXR symbols shall be placed adjacent to each other in each lane.

When the pavement marking symbol is used, a portion of the symbol should be located directly adjacent to the Advance Warning Sign (W10-1) as placed by Table 2C-4, Condition B of the MUTCD.



### PAVEMENT MARKINGS AT RAILROAD-HIGHWAY GRADE CROSSING

All dimensions are in inches (millimeters) unless otherwise shown.

DATE	REVISIONS
1-1-15	Added symbols. Revised bike symbol. Revised note for stop line at RR crossing.
1-1-14	Added bike symbol. Renamed 'LANE DROP ARROW' detail to 'LANE-REDUCTION ARROW'.

### TYPICAL PAVEMENT MARKINGS

(Sheet 1 of 3)

**STANDARD 780001-05**

Illinois Department of Transportation



APPROVED January 1, 2015

ENGINEER OF OPERATIONS

APPROVED January 1, 2015

ENGINEER OF DESIGN AND ENVIRONMENT


ISSUED 1-1-97



Legend Height	Arrow Size	a
6' (1.8 m)	Small	2.9 (74)
8' (2.4 m)	Large	3.8 (96)


The space between adjacent letters or numerals should be approximately 3 (75) for 6' (1.8 m) legend and 4 (100) for 8' (2.4 m) legend.

**LETTER AND ARROW GRID SCALE**




Illinois Department of Transportation

APPROVED January 1, 2015

  
ENGINEER OF OPERATIONS

APPROVED January 1, 2015


  
ENGINEER OF DESIGN AND ENVIRONMENT

ISSUED 1-1-97

TYPICAL PAVEMENT MARKINGS


(Sheet 2 of 3)

STANDARD 780001-05



#### LANE-REDUCTION ARROW


Right lane-reduction arrow shown.  
Use mirror image for left lane.




20' (6 m): urban  
50' (15 m): rural  
(Between arrow  
and word or  
between words)

ONLY


#### WORD AND ARROW LAYOUT




#### WRONG WAY ARROW



#### INTERNATIONAL SYMBOL OF ACCESSIBILITY



#### SHARED LANE SYMBOL



#### BIKE SYMBOL (Arrow is optional.)